## **EAST Search History**

## EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	10/650211	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:01
25	1	"6640302".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 18:38
S3	1	"5805803".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 18:39
S4	1	"6128644".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/18 18:39
S5	6	ebrahimi-hashem-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:40
S6	124	carter-stephen-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:41
S7	0	Oyler-mel-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:41
S8	2	Oyler-\$.in. AND mel	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 08:41
S9	10380	"726".das.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:02
S10	1590	726/2.cdls. OR 726/26.cdls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:02
S11	310	(secure ADJ communication).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:02
S12	5	S11 AND S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:03
S13	236	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:04
S14	39	S13 AND S9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:05
S16	784	(secure ADJ communication). ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:11

S22	15	S16 AND S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:12
S23	236	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:12
S24	39	S23 AND S9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/19 12:12
S27	10380	"726".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 16:42
S28	1836	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 16:52
S29	236	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 16:53
S30	14	S28 and S29	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/22 17:26
S31	0	(enhanced sustem, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:49
S32	0	(enhanced system, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:27
S33	0	(enhanced system method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:28
S34	1319	(security ADJ threat)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:28
S35	138	S28 AND S34	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:29
<b>S3</b> 6	4690	manag\$3 with secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:29
S37	724	manag\$3 ADJ secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/22 17:30
S38	25	S37 AND \$28	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/23 08:52
S42	33	establish\$3 WITH (security session)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 06:39
S44	177	"26" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 07:25

S45	172	"28" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 06:41
S46	1	"6212640".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 09:51
S54	1838	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/01/24 10:40
S56	107134	"HTTPs"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:42
S57	748	"HTTPs" AND \$54	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:45
S58	2322	suppress\$3 WITH messages	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:46
S59	2322	suppress\$3 WITH message	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:47
<b>S</b> 60	111	suppress\$3 WITH message SAME link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:47
S61	40	suppress\$3 WITH message WITH link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 10:52
S62	1	"6559769".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:01
S63	511	security ADJ3 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:02
S64	336	security ADJ2 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:02
S65	236	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 11:02
S69	5	block\$3 WITH (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 12:15
S70	35164	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with security	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 16:34
S71	15	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 12:21
S75	2166	secure communication	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:22

S81	0	secure browser include another insecure browser	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:24
S82	0	secure browser include another http	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:24
S83	0	secure AD site WITH (insecure ADK site)	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:25
S84	1	secure ADJ site WITH (insecure ADJ site)	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:28
S85	4	"977385".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:29
S86	1	"6266774".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:31
S87	3	"4405829".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:32
S88	1	"6161099".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:34
S89	1	"6029245".pn.	EPO; JPO; DERWENT	ADJ	ON	2007/01/24 12:34
S90	2	"6029245".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 12:59
S91	2	"7093121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 13:54
S92	1	"6,081,900".pn. AND proxy	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 14:34
S93	0	"6,081,900".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 14:34
S94	0	"6,640,302".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 15:18
S95	0	"7,093,121".pn. AND FTP	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 15:18
S96	2	"7,093,121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2007/01/24 15:47
S97	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:47

S98	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:54
S99	1	"6324648".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:57
S100	1	"6728886".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 15:57
S101	182	S70 AND S54 AND "713".clas.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/01/24 16:35
S102	0	10/752385	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 07:27
S103	0	(10/752385) AND (acquir\$4)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 07:28
S104	0	(10/752385) AND (pre)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 11:04
S105	1	"20020056033"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/16 11:04
S106	29	"20020056033" OR "5,889,996. pn" OR "6,065,120,pn" OR "6,128,644".pn. OR "6,148,405".pn. OR "6,233,608. pn" OR "6,263,437" OR "6,434,687".pn. OR "6,745,229. pn" OR "6,950,936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/16
S107	8	(insecure with (link OR URL) with (outside OR external) same secure)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:53
S108	2	09/493506	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:55
S109	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/05 19:57
S112	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:57
S113	0	(content near2 metadata) with (external near4 site) with (link or URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:57

S114	0	(content near2 metadata) with (external near4 site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:57
S118	382	((content near2 metadata)) with (link OR URL)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:27
S119	0	((content near2 metadata)) with (link OR URL) with (scann \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 19:58
S120	0	((content near2 metadata)) with (link OR URL) same (external near client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:00
S121	6	(secure adj intranet).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:03
S122	2	"5805803".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:04
S124	2	"5963915".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 20:04
S125	2	10/650211	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S126	1	"6640302".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S127	1	"5805803".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S128	1	"6128644".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34

S129	8	ebrahimi-hashem-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S130	166	carter-stephen-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S131	0	Oyler-mel-\$.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S132	2	Oyler-\$.in. AND mel	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S133	14576	"726".das.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S134	2531	726/2.ccls. OR 726/26.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S135	383	(secure ADJ communication).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S136	11	S135 AND S134	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S137	287	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S138	54	\$137 AND \$133	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S139	1006	(secure ADJ communication). ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S140	28	S139 AND S134	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S141	287	(security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S142	54	S141 AND S133	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S143	14576	"726".das.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S144	2653	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S145	287	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34

S146	20	S144 and S145	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S147	0	(enhanced sustem, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S148	0	(enhanced system, method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S149	0	(enhanced system method and medium for certifying).ti.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S150	1962	(security ADJ threat)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S151	214	S144 AND S150	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S152	6384	manag\$3 with secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S153	932	manag\$3 ADJ secure	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S154	33	S153 AND S144	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S155	41	establish\$3 WITH (security session)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S156	206	"26" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S157	197	"28" AND security warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S158	1	"6212640".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S159	2653	726/11-14.cds. OR 726/22.cds.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/05/10 16:34
S160	145983	"HTTPs"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S161	1144	"HTTPs" AND S159	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S162	2823	suppress\$3 WITH messages	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34

S163	2823	suppress\$3 WITH message	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S164	134	suppress\$3 WITH message SAME link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S165	51	suppress\$3 WITH message WITH link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S166	1	"6559769".pn.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S167	649	security ADJ3 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S168	414	security ADJ2 warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S169	287	security ADJ warning	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S170	7	block\$3 WITH (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S171	43666	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with security	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S172	20	(suppress\$3 OR stop\$3 OR halt \$3 OR censor\$3 OR eras\$3 OR kill\$3 or block\$3 OR prevent\$3) with (security ADJ warning)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S173	2592	secure communication	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S174	0	secure browser include another insecure browser	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S175	0	secure browser include another http	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S176	0	secure AD site WITH (insecure ADK site)	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S177	1	secure ADJ site WITH (insecure ADJ site)	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S178	4	"977385".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S179	1	"6266774".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S180	3	"4405829".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S181	1	"6161099".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34
S182	1	"6029245".pn.	EPO; JPO; DERWENT	ADJ	ON	2008/05/10 16:34

S183	2	"6029245".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S184	2	"7093121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S185	1	"6,081,900".pn. AND proxy	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S186	0	"6,081,900".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S187	0	"6,640,302".pn. AND activate	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S188	0	"7,093,121".pn. AND FTP	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S189	2	"7,093,121".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S190	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S191	7	("20020023143"   "20040015725"   "6266420"   "6324648"   "6584567"   "6728886"   "6826593").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S192	1	"6324648".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S193	1	"6728886".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/10 16:34
S194	268	S171 AND S159 AND "713". clas.	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S195	0	10/752385	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S196	0	(10/752385) AND (acquir\$4)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S197	0	(10/752385) AND (pre)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34

S198	1	"20020056033"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S199	38	"20020056033" OR "5,889,996. pn" OR "6,065,120,pm" OR "6,128,644",pn. OR "6,148,405",pn. OR "6,233,608. pn" OR "6,263,437" OR "6,434,687",pn. OR "6,434,587",pn. OR "6,745,229. pn" OR "6,950,936",pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	6	2008/05/10 16:34
\$200	8	(insecure with (link OR URL) with (outside OR external) same secure)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S201	2	09/493506	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S202	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$203	0	(content near2 metadata) with (external near4 site) with (link or URL) same session	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$204	0	(content near2 metadata) with (external near4 site) with (link or URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$205	0	(content near2 metadata) with (external near4 site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$206	448	((content near2 metadata)) with (link OR URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$207	0	((content near2 metadata)) with (link OR UPL) with (scann \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34

\$208	0	((content near2 metadata)) with (link OR URL) same (external near client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$209	7	(secure adj intranet).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$210	2	"5805803".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
S211	2	"5963915".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/10 16:34
\$212	0	10/814983	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/10 17:52
S213	0	10/752385	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 13:32
S216	15	(scan\$5 or inspect\$4) same content same (secur\$4 near3 site)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 13:46
S217	1	"6081900".pn. and (scan\$5 or inpsect\$4) with (\$2secur\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 13:48
S218	1	"6081900" pn. and (scan\$5 or inpsect\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 14:09

S219	69	(scan\$5 or inspect\$4) same content same (secure\$4 near4 communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 14:25
S221	35	(scan\$5 or inspect\$4) same content same (secure\$4 near4 communication) and (@ad<="20030808")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 14:26
\$222	8	(insecure with (link OR URL) with (outside OR external) same secure)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2008/10/26 14:31
\$223	7	(secure adj intranet).ti.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/26 14:31
\$224	106	("5522041"   "5550984"   "5553239"   "5673322"   "57508434"   "5727145"   "5748360"   "5752022"   "5757924"   "5761683"   "5768271"   "5805803"   "5813025"   "58910171"   "5913025"   "5991810").PN. OR ("6081900").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 14:32
\$226	7	\$224 and (scan\$5 or inpsed\$5) with (content or inforamation or data)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 14:34
S227	25	S224 and (scan\$5 or inspect\$5) and (site)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:04
\$228	13	\$224 and (scan\$5 or inspect\$5) with (content or inforamation or data)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:05
S229	737524	S224 and (scan\$5 or inspect\$5) and (site) and (session)]	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:09
\$230	16	S224 and (scan\$5 or inspect\$5) and (site) and (session)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:09
₩31	33	("20020056033"   "2002008554"   "5550984"   "2550239"   "5657390"   "5673922"   "5757924"   "5768271"   "5605803"   "5825890"   "5889996"   "5913025"   "5913825"   "5963915"   "591810"   "6029245"   "6065120"   "601900"   "6128644"   "6148405"   "6192477"   "6199165"   "6233577"   "6233507"   "6233507"	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:19

		"6473800"   "6640302"   "6745229"   "6950936"   "7007299"   "7093121").PN.			***************************************	
S232	9	S231 and (scan\$5 or inspect\$5) and (site) and (session)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/26 15:19
\$233	8	"20030167403" OR "6003084". pn. OR "6732269".pn. or "7430757".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 09:32
S234	7543	(726/11-14,22,26-30).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 09:58
\$235	0	(@ad<="20040116") AND (secure near session with insecure near2 reference)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:06
\$236	1212	(@ad<="20040116") AND (secure near session )	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:06
\$237	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:06
\$238	25	(@ad<="20040116") AND (secure near session SAME (secure near2 site))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 10:07
\$239	8	(("20030167403"   "6003084"   "6732269"   "7430757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:15
\$240	1	\$239 and (in\$secur\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:17

S241	11	(@ad<="20040102") and (\$insecur\$4 near3 referenc\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:20
\$242	94769	(@ad<="20040102") and (http with https)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:22
S245	371	(@ad<="20040102") and (http with https with proxy) and (secur\$2 near2 communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:23
S246	3515	(726/11-14,22).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:35
\$248	3896	(@ad<="20040102") and (http with https same prox\$3)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:37
\$249	158	(@ad<="20040102") and (http with https same prox\$3) and \$246	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 15:37
\$250	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)) same (remov\$4 or delet\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:18
\$251	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)) AND (remov\$4 or delet\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:18
\$252	0	(@ad<="20040116") AND (secure near session SAME (insecure near2 (link or reference)) same (remov\$4 or delet\$4) near4 content)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:30

\$253	0	(@ad<="20040116") AND ( (insecure near2 (link or reference)) same (remov\$4 or delet\$4) near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:30
\$254	0	(@ad<="20040116") AND ( (insecur\$2 near2 (link or reference)) same (remov\$4 or delet\$4) near4 content)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:30
\$255	0	(@ad<= "20040116") AND ( (insecur\$2 near2 (link or reference)) same ((remov\$4 or delet\$4) near4 content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:31
\$256	0	(@ad<= "20040116") AND ( (insecur\$2 near2 (link or reference)) same ((remov\$4 or delet\$4) near4 (content or link or cookie)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:31
\$257	15	(@ad<="20040102") and ((http with https same prox\$3) SAME ((remov\$4 or delet\$4) with (link or reference)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 16:32
\$258	29	(@ad<="20040102") and ((http with https same prox\$3) SAME ((remov\$4 or delet\$4) with (link or reference or cookie)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 06:13
\$259	1	("2004/0073629").URPN.	USPAT	OR	ON	2009/05/12 06:40
S260	0	(Us-20030131259-A1).did.	USPAT	OR	ON	2009/05/12 06:49
\$261	2	(US-20030131259-A1).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 06:49
S262	0	(secirity near2 warning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/05/12 08:22

\$265	9	manag\$4 with (security near2 warning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 08:23
\$266	2	(US-20030131259-A1).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 16:04
\$267	2	"20040073629"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:24
\$268	3	"20030131259"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:24
\$269	29	(@ad<="20040102") and ((http with https same prox\$3) SAME ((remov\$4 or delet\$4) with (link or reference or cook \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/12 17:30
<b>S27</b> 0	0	10/752385 and (computer near2 medium)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/25 17:32
\$271	0	10/752385 and (computer near readable)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/25 17:32
\$272	0	10/752385 and (computer near readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:32
S273	0	10/752385 and (readable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:32
S274	0	10/752385 and (computer)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:33

S275	0	10/752385	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OS	2009/10/25 17:33
\$276	2019	(secure near2 communication). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/25 17:33
S277	0	10/752385	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/25 17:34
S278	6404	(proxy with (hardware or software))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 08:11
\$279	0	(proxy with (hardware or software)) with (\$2secure near2 reference)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 08:11
\$280	30	(proxy with (hardware or software)) with (WWW)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 08:12
S281	1	11/386595	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/10/26 09:46
\$282	1	11/386595	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 09:46
\$283	2	"20070226800"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 12:24
\$284	0	10/752385 and (proxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 15:23
\$293	55	(reference with cookie with (header or metadata))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/10/26 16:51

S294	52	(reference with cookie with (header or metadata)) and (https)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 16:52
\$295	25	(reference with cookie with (header or metadata)) SAME (https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 16:53
\$305	3	(@ad< "20040106") AND ((reference or http) with proxy with (secure adj session))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 18:53
\$306	2	"6640302".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/26 19:17
\$307	33	("5550984"   "5553239"   "5673322"   "5757924"   "5768271"   "5805803"   "5825890"   "5913025"   "5963915"   "5991810"   "6029245"), PN. OR ("6640302"), URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/26 19:17
\$309	1811	(@ad< "20040106") AND ((reference or link) with (http or (secure adj site))) Same (browser or cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:24
S313	2	(@ad< "20040106") AND ((reference or link) with ((secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:35
S314	57	(@ad< "20040106") AND (scan \$6 with (reference or link) with (http or (secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:39
S315	1	(@ad< "20040106") AND (scan \$6 with (reference or link) with (tamper\$4 alter\$4 chang\$4 or (secure adj site)) with (browser or cookie))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:47

S316	4	(@ad< "20040106") AND (scan \$6 with (url or http reference or link) with (tamper\$4 alter\$4 chang\$4 or (secure adj site)) with (browser or cookie))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:48
S321	11	(@ad< "20040106") AND ((content information url or http reference or link) with (tamper\$4 alter\$4 chang\$4 modif\$4) with (secure adj2 session))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:50
S326	0	(@ad< "20040106") AND ((reference or link) with (http or (secure adj site))) with (secure near2 session)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:56
\$327	115	(@ad< "20040106") AND ((content information url or http reference or link) SAME (tamper\$4 alter\$4 chang\$4 modif\$4) SAME (secure adj2 session))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:57
\$328	32	(@ad< "20040106") AND ((content information url or http reference or link) SAME (tamper\$4 alter\$4 chang\$4 modif\$4) with(secure adj2 session))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/27 13:57
\$329	9003	(content metadata near2 reference) with (hack\$4 tamper \$4)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:34
\$330	4770	(@ad< "20040106") AND (content metadata near2 reference) with (hack\$4 tamper \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:35
S331	4770	(@ad< "20040106") AND ((content metadata near2 reference) with (hack\$4 tamper \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:35
S332	1	((@ad< "20040106") AND ((content metadata near2 reference) with (hack\$4 tamper \$4)) with insecure	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:35

S333	9	(@ad< "20040106") AND ((content metadata near2 reference) with (hack\$4 tamper \$4)) with (insecure http https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:36
S334	491511	(@ad< "20040106") AND ((content metadata reference) with (hack\$4 tamper\$4 modif \$4 chang\$4))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:41
S335	996	(@ad< "20040106") AND ((content metadata reference) with (hack\$4 tamper\$4 modif \$4 chang\$4)) with (secure or insecure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:41
S336	8558	(726/11-14,22,26-30).cds.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:43
5337	74	\$335 and \$336	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
5338	349	(@ad< "20040106") AND (proxy with (content metadata reference) with (hack\$4 tamper \$4 modif\$4 chang\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:43
5339	8	(@ad< "20040106") AND (proxy with (content metadata reference) with (hack\$4 tamper \$4 modif\$4 chang\$4) with cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29
\$340	35	(@ad< "20040106") AND (proxy SAME (content metadata reference) with (hack \$4 tamper\$4 modif\$4 chang\$4) SAME cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:52
5341	27	\$340 not \$339	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/10/29 11:53

S342	36	(@ad< "20040106") AND (proxy SAME (content metadata reference link usr) with (hack\$4 tamper\$4 modif \$4 chang\$4) SAME cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 11:59
S343	15	(@ad< "20040106") AND (proxy with (remov\$4) with cookie)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:03
S344	7	(@ad< "20040106") AND (proxy with (delet\$4) with cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:11
\$345	61	(@ad< "20040106") AND (proxy with (delet\$4) with (cookie reference url))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:11
\$346	75	(@ad< "20040106") AND ((proxy firewall) with (delet\$4) with (cookie reference url link))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:17
\$347	14	\$346 not \$345	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/29 15:17
\$379	0	"6081900".pn. and (proxy adj serer)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 13:50
\$380	1	"6081900",pn. and (proxy adj server)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 13:50
\$383	9	("7552223".pn. or "6081900". pn. or "20030131259" or "20040073629")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 14:53

S384	4	("7552223".pn. or "6081900". pn. or "20030131259" or "20040073629") and (proxy or proxer adj server) with (warning or message or reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 14:53
S386	26989	(proxy near2 server) or (proxy near2 cach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:06
S387	3409	((proxy near2 server) or (proxy near2 cach\$4)) with (reference or URL or link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:09
\$388	138	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:10
\$389	89	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or im) and (@ad< "20030828" or @had< "20030828" or @rlad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:13
S390	2	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link) and (@ad< "20030828" or @rlad< "20030828" or @rlad< "20030828") and (tamper\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:28
S391	243	(manag\$4 or control\$4) with ((proxy near2 server) or (proxy near2 cach\$4)) with (reference or UFL or link) and (@ad< "20030828" or @prad< "20030828" or @rad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:30
\$392	0	(manag\$4 or control\$4) with (warning near2 message) with ((proxy near2 server) or (proxy near2 cach\$4)) with (reference or UFIL or link) and (@ad< "20030828" or @prad< "20030828" or @rad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OZ	2010/05/01 15:30

S393	17	(manag\$4 or control\$4) with (message) with ((proxy near) server) or (proxy near2 cach \$4)) with (reference or UFL or link) and (@ad< "20030828" or @prad< "20030828" or @rlad< "20030828")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:31
S394	2	"6324648".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01 15:40
\$395	2	"5805803".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/01
\$396	1	(Insecure adj reference)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:04
\$397	308	(reference near3 tamper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:06
\$398	1795	(metadata near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09
\$399	0	(metadata near2 reference) with tamper\$4	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09
S400	79	(metadata near2 reference) and tamper\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09
S401	0	(metadata near2 reference) SAME tamper\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 16:09

S402	82	suppress\$3 WITH message WITH link	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2010/05/06 17:53
S403	138	(manag\$4) with ((proxy near2 server) or (proxy near2 cach \$4)) with (reference or URL or link)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 18:13
S407	57	(translat\$4 or convert\$4) with insecure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/06 18:17
S409	3	(metadata near5 reference) with URL with cookie	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:23
S410	10	(proxy near server) with link with cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:25
S414	77	(https same http same (warning near2 message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:36
S415	0	(https same http same (warning near2 message) same (proxy near server))	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:37
S416	11	(https same http same (warning near2 message) AND (proxy near server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:37
S417	4	("20020007415"   "6052730"   "6081900"   "6658463").PN. OR ("7584500").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/05/06 18:48
S418	6	(warning near2 message) with (proxy near server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:50

S419	398	(warning near2 message) AND (proxy near server) AND http AND HTTPS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OS.	2010/05/06 18:52
S420	398	(warning near2 message) AND (proxy near server) AND (http SAME HTTPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:52
S422	5	(warning near2 message) with (proxy near server) AND (http with HTTPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:52
S426	2163	(proxy near server) with (http with HTTPS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:53
S427	0	(proxy near server) with (http with HTTPS) with (warning near2 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:54
S430	82	(proxy near server) with (http with HTTPS) AND(warning near2 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/06 18:54
S431	3	"20030131259" and (action )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 09:59
S432	8	("2003/0131259").URPN.	USPAT	ADJ	ON	2011/03/12 10:00

S433	51	("20020056033"   "20020068554"	US-PGPUB;	ADJ	ON	2011/03/12
		"20020068554"   "20020068554"   "20020199088"   "20030061387"   "2003013298"   "20030167403"   "200301677403"   "200400173629"   "5550984"   "5553299"   "5657390"   "5673322"   "5757924"   "5768271"   "5805803"   "5788271"   "5805803"   "5825890"   "5889996"   "5913025"   "586315"   "5991810"   "6003084"   "6029245"   "6065120"   "6081900"   "6112228"   "6128644"   "6148405"   "612877"   "6233608"   "6233577"   "6233608"   "6434887"   "6473800"   "6513061"   "664302"   "664302"   "664300"   "664302"   "664300"   "664302"   "664300"   "664302"   "664300"   "664302"   "64732269   "6745229"   "6950336"   "6961759"   "7007299"   "77370351"   "7137143"   "77370351"   "7430757   "7532223")   N. OR ("7904951")   UPRN.	USPAT; USOOR			10:04
S434	8	("2003/0061387").URPN.	USPAT	ADJ	ON	2011/03/12
S437	6082	(remov\$3 or delet\$3 with (URL or link or reference)) same (http or https)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12
S438	42	S437 and 726/22.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:33
S439	0	(remov\$3 or delet\$3 with (URL or link or reference)) same (insecure near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:39
S440	19	(insecure near2 reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:39

S441	6	(insecure near2 URL)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2011/03/12 10:41
S442	408	(insecure near2 link)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:42
S443	248	(insecure near2 link) and (http or https or html or URL or script)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:52
S444	115	S443 and (@ad < "20040106" or @prad < "20040106" or @rlad < "20040106")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:52
S445	32	remov\$3 with http with (secure or insecure)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 10:59
S451	2	(Us-20030061387-A1).did.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 12:22
S452	2	"20030061387"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/03/12 14:25
S453	82	(remov\$3) with (metadata or tamper\$3 or header or reference) with cookie	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 14:26
S454	2	("2005/0169285").URPN.	USPAT	ADJ	ON	2011/03/12 14:29
S455	44	(delete\$3) with (metadata or tamper\$3 or header or reference or portion) with cookie	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/12 14:37

3/12/2011 2:46:25 PM

H:\ \_\_A-cle2\ AAREAL\_CASE\ 10-752-385-managing-secure-communication-new\ 10752385-secure-communication.wsp